








STC Ratings

Rev: 3/8/19 by K.Pim

Operating Style	Series Numbers	Glass 1	Glass 2	STC	EWR	OITC	Test Number
horizontal slider 	2110 2111 2130 2130J 2170	1/8	1/8	28	28	22	I2128.01
		1/8	3/16	32	32	26	I2128.02
		1/8	1/4	32	33	27	I2128.03
		1/8	LAM	33	33	28	I2128.04
		3/16	3/16	30	31	25	I2128.05
		3/16	1/4	32	34	28	I2128.06
		3/16	LAM	33	35	29	I2128.07
		1/4	1/4	31	33	28	I2128.08
		1/4	LAM	33	35	29	I2128.09
		LAM	LAM	34	35	30	I2128.10
single hung 	2210 2211 2230 2230J 2270	1/8	1/8	28	28	23	I3892.01
		1/8	3/16	32	33	27	I3892.02
		1/8	1/4	32	33	27	I3892.03
		1/8	LAM	33	33	28	I3892.04
		3/16	3/16	30	31	25	I3892.05
		3/16	1/4	32	34	28	I3892.06
		3/16	LAM	33	35	29	I3892.07
		1/4	1/4	31	34	29	I3892.08
		1/4	LAM	33	35	30	I3892.09
		LAM	LAM	34	36	30	I3892.10
picture window (slider frame) 	2310 2311 2331 2331J 2370	1/8	1/8	28	28	22	I2129.01
		1/8	3/16	31	32	26	I2129.02
		1/8	1/4	33	33	27	I2129.03
		1/8	LAM	33	33	28	I2129.04
		3/16	3/16	32	32	26	I2129.05
		3/16	1/4	35	34	29	I2129.06
		3/16	LAM	34	35	29	I2129.07
		1/4	1/4	34	34	28	I2129.08
		1/4	LAM	33	35	29	I2129.09
		LAM	LAM	33	35	30	I2129.10
picture window (step) 	2340 2341 2330 2330J	1/8	1/8	27	27	21	I2130.01
		1/8	3/16	31	30	24	I2130.02
		1/8	1/4	32	32	26	I2130.03
		1/8	LAM	33	33	27	I2130.04
		3/16	3/16	29	30	24	I2130.05
		3/16	1/4	31	32	26	I2130.06
		3/16	LAM	34	34	28	I2130.07
		1/4	1/4	31	32	26	I2130.08
		1/4	LAM	33	31	27	I2130.09
		LAM	LAM	33	32	27	I2130.10



STC Ratings

Rev: 3/8/19 by K.Pim

Operating Style	Series Numbers	Glass 1	Glass 2	STC	EWR	OITC	Test Number
picture window <i>(fa/fc match)</i> 	2350 2351 2360 2375 (like 6350)	1/8	1/8	27	28	21	TL12-264
		1/8	3/16	31	31	25	TL12-268
		1/8	1/4	32	32	26	TL12-267
		1/8	LAM	33	32	26	TL12-266
		3/16	3/16	30	31	24	I2131.01
		3/16	1/4	32	33	27	I2131.02
		3/16	LAM	34	35	28	I2131.03
		1/4	1/4	31	31	25	I2131.04
		1/4	LAM	35	35	28	TL12-269
		LAM	LAM	35	34	27	TL12-265
picture window <i>(fa/fc match)</i> 	2360J (like 6360J accessory groove)	1/8	1/8	27	28	21	TL12-264
		1/8	3/16	31	31	25	TL12-268
		1/8	1/4	32	32	26	TL12-267
		1/8	LAM	33	32	26	TL12-266
		3/16	3/16	30	31	24	I2131.01
		3/16	1/4	32	33	27	I2131.02
		3/16	LAM	34	35	28	I2131.03
		1/4	1/4	31	31	25	I2131.04
		1/4	LAM	35	35	28	TL12-269
		LAM	LAM	35	34	27	TL12-265
awning 	2410 2411 2430 2470 (like 6410)	1/8	1/8	29	29	23	TL12-261
		1/8	3/16	33	33	27	TL12-259
		1/8	1/4	34	34	28	TL12-262
		1/8	LAM	33	34	28	TL12-258
		3/16	3/16	28	30	24	I3893.01
		3/16	1/4	31	32	26	I3893.02
		3/16	LAM	33	33	27	TL12-263
		1/4	1/4	29	30	25	I3893.03
		1/4	LAM	36	36	30	TL12-260
		LAM	LAM	36	35	29	TL12-257
casement 	2510 2511 2530 2570 (like 6510)	1/8	1/8	28	28	22	TL12-270
		1/8	3/16	32	32	27	TL12-273
		1/8	1/4	33	33	27	TL12-271
		1/8	LAM	33	33	27	TL12-276
		3/16	3/16	29	29	23	I3894.01
		3/16	1/4	32	33	27	I3894.02
		3/16	LAM	33	33	27	TL12-272
		1/4	1/4	30	32	26	I3894.03
		1/4	LAM	35	35	29	TL12-279
		LAM	LAM	33	33	27	TL12-274

STC Ratings

Rev: 3/8/19 by K.Pim

Operating Style	Series Numbers	Glass 1	Glass 2	STC	EWR	OITC	Test Number
sliding door 	2610 2611 2630 2670	1/8	1/8	29	28	22	I3895.01
		1/8	3/16	33	32	26	I3895.02
		1/8	1/4	33	32	26	I3895.03
		1/8	LAM	35	34	28	I3895.04
		3/16	3/16	31	29	24	I3895.05
		3/16	1/4	33	33	27	I3895.06
		3/16	LAM	34	35	28	I3895.07
		1/4	1/4	31	32	26	I3895.08
		1/4	LAM	34	35	28	I3895.09
		LAM	LAM	35	34	28	I3895.10
picture window (transom) 	261T 263T 267T	1/8	1/8	28	28	22	I2132.01
		1/8	3/16	32	32	26	I2132.02
		1/8	1/4	33	33	26	I2132.03
		1/8	LAM	35	34	27	I2132.04
		3/16	3/16	30	31	25	I2132.05
		3/16	1/4	32	34	27	I2132.06
		3/16	LAM	35	35	29	I2132.07
		1/4	1/4	31	32	25	I2132.08
		1/4	LAM	35	36	30	I2132.09
		LAM	LAM	36	34	28	I2132.10